



Web Images Video News Maps more » Advanced Scholar Search
 Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 122 for **fingerprint tuple affine mapping point verification OR matching**. (0.09 seconds)

[PDF] ► Matching of palmprints

N Duta, AK Jain, KV Mardia - Pattern Recognition Letters, 2002 - 162.105.81.202

... print information may improve the discrimination provided by **fingerprints** in cases ...

The Fingerprint System at Scotland Yard. ... Advances in Finger-print Technology ...

Cited by 147 - Related articles - View as HTML - Web Search - All 11 versions

4. State of the Art in Shape Matching- ► kfupm.edu.sa pdf

RC Veltkamp, M Hagedoorn - Principles of visual information retrieval, 2001 - books.google.com

... shows a point set matching application in **fingerprint** identifica- tion ... 0), and tally

a vote for each tuple $(i, e_0 \dots)$. The affine transformation that maps $(e_0, e_1, e_2 \dots)$

Cited by 234 - Related articles - Web Search - Library Search - All 10 versions

Method, device and computer program for detecting point correspondences in sets of points

G Eckert, S Muller, J Buckner, M Pahl - US Patent App. 10/533,515, 2003 - Google Patents

... the verification and classification of **fingerprints** using minu- tiae ... lines in the

scanned finger- print allowing to ... is compared with the reference **fingerprint**. ...

Web Search - All 6 versions

2D-affine invariants that distribute uniformly and can be tuned to any convex feature domain

I Rigoutsos, IBM TJW Research Center, Y Height - Computer Vision, 1998. Sixth International Conference on, 1998 - ieeexplore.ieee.org

... database of **fingerprints** from 600 individuals. ... numbers that will remain invariant

if the four-point tuple is subjected to a 2D affine transformation ...

Related articles - Web Search - All 4 versions

[PDF] ► Online fingerprint verification system

SS Chikkerur - 2005 - citeseerx.ist.psu.edu

... along the ridges (a) Sample finger- print (b) Synthetic ... Fingerprint recognition emerged

from the application ... 4. Modalities such as **fingerprints**, where the ...

Cited by 2 - Related articles - View as HTML - Web Search - Library Search - All 5 versions

Content-Based Matching of Videos Using Local Spatio-temporal Fingerprints

G Singh, M Puri, J Lubin, H Sawhney - Lecture Notes in Computer Science, 2007 - Springer

... is addressed by employing robust **fingerprints** that are ... proposed localized

content-based video **fingerprinting** approach ... e along with its **fingerprint** inside ...

Related articles - Web Search - All Direct

fingerprint tuple affine mapping point verification OR matching - Google Scholar

Robust watermarking and affine registration of 3d meshes

O Benedens - Lecture notes in computer science, 2003 - Springer

... and integrity-checks [15, 17, 18] • Fingerprinting, copyright-protection ... faceted mesh is defined as a tuple (V,C ... We denote application of affine map Page 4. ...

Cited by 16 - Related articles - Web Search - BL Direct - All 5 versions

Two-dimensional affine-invariant hashing defined over any two-dimensional convex domain and ...

I Rigoutsos - US Patent 5,802,525, 1998 - Google Patents

... accumulates knowledge about occupancy patterns incurred by four-point tuples belonging to each ... R. et al., "Optimal Affine-Invariant Point Matching ...

Cited by 5 - Related articles - Web Search - All 2 versions

Guest Editor's foreword

EW Myers - Algorithmica, 1995 - Springer

... the genome, and determining a fingerprint for each ... For the two fingerprinting methods given, the information ... infer it from the digest fingerprints obtained by ...

Cited by 2 - Related articles - Web Search - All 3 versions

A new approach to the verification of chinese signatures with variant orientations and scales using ...

CF Lin, CW Chen - Pattern Recognition, 1998 - Elsevier

... to identify an individual, eg, voice, **fingerprint**, password, seal ... Finally, by applying the affine transformation matrix, the test ... Let two-tuple $S_n = (d_n, c_n)$...

Cited by 5 - Related articles - Web Search - BL Direct - All 3 versions

Key authors: **R Veltkamp** - **M Hagedoorn** - **R Chellappa** - **D Goldin** - **N Duta**

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google